

FINOWAX Preformed Wax Patterns Punched retention

Revision date: 27.01.2023

30860 / 30870 / 30896

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

FINOWAX Preformed Wax Punched retention Patter 30860 / 30870 / 30896

REF

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Wax-up of partial denture frames.

1.3. Details of the supplier of the safety data sheet

Company name:	FINO GmbH						
Street:	Mangelsfeld 18						
Place:	D-97708 Bad Bocklet						
Telephone:	+49-97 08-90 94 20	Telefax: +49-97 08-90 94 21					
e-mail:	info@fino.com	Internet: www.fino.com					
Contact person:	Joachim Mahlmeister	Telephone: +49-97 08-90 94 20					
e-mail:	info@fino.com						
Responsible Department:	This number can only be reached	This number can only be reached during our office hours, Monday to Friday from					
	8 a.m. to 5 p.m.						
1.4. Emergency telephone	+49-89-1 92 40						
number:	POISON CENTER München						
	24 hour(s) 7 day(s)						

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

none

Special labelling of certain mixtures

There is no requirement for the product to be specially labelled according to EC directives or the corresponding national laws. no restriction

Additional advice on labelling

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.3. Other hazards

No risks worthy of mention.

SECTION 3: Composition/information on ingredients

3.1. Substances

Chemical characterization

Preparation of mineral waxes, synthetic hydrocarbon waxes, polyterpene and ester resin, coloured.

Hazardous components

none (according to UK REACH Regulation)

SECTION 4: First aid measures

4.1. Description of first aid measures



FINOWAX Preformed Wax Patterns Punched retention

Revision date: 27.01.2023

30860 / 30870 / 30896

Page 2 of 8

General information

The melted product can cause severe burns. Seek medical attention if problems persist.

REF

After inhalation

In case of inhalation of decomposition products, affected person should be moved into fresh air and kept still. Seek medical attention if problems persist.

After contact with skin

After contact with molten product, cool skin area rapidly with cold water. Burns caused by molten material must be treated clinically.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Seek medical attention if problems persist.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Foam, Carbon dioxide (CO2), Dry extinguishing powder, Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Crack gases, carbon oxides. Precipitate combustion gases with water spray.

5.3. Advice for firefighters

Overalls against heat radiation. In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Do not breathe vapour/aerosol. Provide adequate ventilation.

For non-emergency personnel

Emergency procedures

Remove persons to safety. Remove victim out of the danger area.

The danger areas must be delimited and identified using relevant warning and safety signs.

For emergency responders

Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter sewers/surface or ground water.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).



FINOWAX Preformed Wax Patterns Punched retention

Revision date: 27.01.2023

30860 / 30870 / 30896

Page 3 of 8

Take up mechanically.

For cleaning up

Allow stiffening. Take up mechanically. Collect in closed and suitable containers for disposal. Wash contaminated clothing before reuse.

REF

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Treat the recovered material as prescribed in the section on waste disposal. Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not overheat 230 °C

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from food, drink and animal feedingstuffs. Wash hands before breaks and after work. When using do not eat or drink.

Further information on handling

No special handling advices are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store under normal and dry conditions. Store and transport in a cool and dry environment and place if possible in a flat position (to protect the wax parts from deformation). Protect open packages from UV-radiation.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Do not store at temperatures above: 40 °C

Betriebssicherheitsverordnung (BetrSichV) ----

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist. Does not contain substances above concentration limits fixing an occupational exposure limit.

8.2. Exposure controls

Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

Individual protection measures, such as personal protective equipment

Eye/face protection

Eye protection: not required.

Hand protection

Protect skin by using skin protective cream. After cleaning apply high-fat content skin care cream.



FINOWAX Preformed Wax Patterns Punched retention

REF

Revision date: 27.01.2023

30860 / 30870 / 30896

Page 4 of 8

Wear protective gloves. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Thickness of the glove material:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Breakthrough time::

The precise time of rupture can be found out from the manufacturer of the protective gloves and must be observed.

Skin protection

lab coat

Respiratory protection

Respiratory protection not required.

Thermal hazards

Hot wax may cause burns.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	red
Odour:	odourless

Changes in the physical state

Changes in the physical state		
Melting point/freezing point:	not determined	
Boiling point or initial boiling point and	not determined	
boiling range:		
Softening point:	not applicable	
Solidifying point::	69 °C	DGF M III 4a
Flash point:	> 200 °C	
Flammability		
Solid/liquid:	not determined	
Explosive properties		
not explosive.		
Lower explosion limits:		
Upper explosion limits:		
Auto-ignition temperature:	not determined	
Self-ignition temperature		
Solid:	> 300 °C	
Decomposition temperature:	not determined	
pH-Value:	not applicable	
Viscosity / dynamic:	not applicable	
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.	

Test method



FINOWAX Preformed Wax Pat	terns Punched retention	
Revision date: 27.01.2023	30860 / 30870 / 30896	Page 5 of 8
Partition coefficient n-octanol/water:	not determined	
Vapour pressure: (at 25 °C)	< 0,01 hPa	
Density:	~0,93 g/cm³	
Relative vapour density:	not applicable	
9.2. Other information		
Information with regard to physical hazard classes		
Sustaining combustion:	No data available	
Oxidizing properties no classification		
Other safety characteristics		
Solvent content:	not applicable	
Solid content:	100%	
Evaporation rate:	not applicable	
Further Information		
SECTION 10: Stability and reactivity		

.

10.1. Reactivity

No information available.

10.2. Chemical stability

No data available.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Do not overheat (> 130 °C).

10.5. Incompatible materials

Not known.

10.6. Hazardous decomposition products

No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met. The product does not contain sensitising substances according to Ordinance on Hazardous Materials (GefStoffV).

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. The product does not contain substances, which pass as carcinogenic, mutagen or reproduction endangering according to Ordinance on Hazardous Materials (GefStoffV).

STOT-single exposure

Based on available data, the classification criteria are not met. No data available STOT-single exposure.



FINOWAX Preformed Wax Patterns Punched retention

Revision date: 27.01.2023

30860 / 30870 / 30896

Page 6 of 8

STOT-repeated exposure

Based on available data, the classification criteria are not met.

REF

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

Toxicological data are not available.

Additional information on tests

The product is not liable to marking based on the evaluation procedure of the general Directive for Classification of Preparations of the EC in the lasted valid version.

Practical experience

No special references.

11.2. Information on other hazards

Other information

No special precautionary measures.

Further information

Based on our experiences and information the product does not cause harmful health effects if handled according to specifications and used according to indications.

SECTION 12: Ecological information

12.1. Toxicity

If used and handled pertinently ecological problems are not o expect.

12.2. Persistence and degradability

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants. According to experiences this product is inert and not degradable.

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

Poorly watersoluble, inorganic product. Can be mechanically precipitated to a large extent in biological sewage plants.

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of UK REACH.

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

No effects known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Can be incinerated together with household waste in compliance with applicable technical regulations following consultation with approved waste disposal management companies and authorities in charge.

List of Wastes Code - residues/unused products

WASTES FROM THE LEATHER, FUR AND TEXTILE INDUSTRIES; wastes from the textile industry; organic matter from natural products (for example grease, wax)

List of Wastes Code - used product

040210 WASTES FROM THE LEATHER, FUR AND TEXTILE INDUSTRIES; wastes from the textile industry; organic matter from natural products (for example grease, wax)

040210



FINOWAX Preformed Wax Patterns	Punched retention
--------------------------------	-------------------

 Revision date: 27.01.2023
 REF
 30860 / 30870 / 30896
 Page 7 of 8

List of Wastes Code - contaminated packaging

030308 WASTES FROM WOOD PROCESSING AND THE PRODUCTION OF PANELS AND FURNITURE, PULP, PAPER AND CARDBOARD; wastes from pulp, paper and cardboard production and processing; wastes from sorting of paper and cardboard destined for recycling

Contaminated packaging

Handle contaminated packages in the same way as the substance itself. Non-contaminated packages may be recycled.

Recycle sales packaging via DSD (Duales System Deutschland).

SECTION 14: Transport information

Land transport (ADR/RID) 14.1. UN number or ID number: UN 0000 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Inland waterways transport (ADN) UN 0000 14.1. UN number or ID number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Marine transport (IMDG) UN 0000 14.1. UN number or ID number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: UN 0000 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No 14.6. Special precautions for user No special measures are necessary. 14.7. Maritime transport in bulk according to IMO instruments No special precautionary measures. **SECTION 15: Regulatory information** 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information 2004/42/EC (VOC).

2004/42/EC (VOC):	none
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)
Additional information:	0
Additional information	
Additional information	
According to EC directives or the corres	ponding national regulations the product does not have to be labelled.
The product does not have to be labelle	d according to guideline 67/548/EEC.

National regulatory information

- - non-hazardous to water



FINOWAX Preformed Wax Patterns Punched retention

Revision date: 27.01.2023

30860 / 30870 / 30896

Page 8 of 8

Additional information

Betriebssicherheitsverordnung (BetrSichV) ---No further data.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

REF

SECTION 16: Other information

Changes

* Data changed compared with the previous version.

Abbreviations and acronyms

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) "IATA-DGR: Dangerous Goods Regulations by the ""International Air Transport Association"" (IATA)" ICAO: International Civil Aviation Organization "ICAO-TI: Technical Instructions by the ""International Civil Aviation Organization"" (ICAO)" ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	wax	-	20	0	0	-	-	-	64742-43-3

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use PROC: Process categories AC: Article categories